

**Vehicle-No.: 510009**



## Mercedes-Benz 1851 LS ACTROS tractor for semi-trailer Lowliner

**Euro 69.900,00 + Mwst.**

**AVG Trucks GmbH**

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**

[info@avg-trucks.de](mailto:info@avg-trucks.de)

<http://www.avg-trucks.de>

|                                |                |
|--------------------------------|----------------|
| Contract structure             | Lowliner       |
| First registration             | 01.04.2022     |
| Mileage                        | 305.800 km     |
| Emission level                 | 6              |
| Engine power                   | 375/510 kW/PS  |
| Total weight                   | 18.000 kg      |
| Kerb weight                    | 7.948 kg       |
| Payload                        | 10.052 kg      |
| Wheelbase                      | 3.700 mm       |
| Height of edge of trailer tray | 950 mm         |
| Suspension                     | Air suspension |
| Operator's cab                 | GigaSpace      |

### Equipment

|                                                |
|------------------------------------------------|
| 1G2 12-gear transmission automatic             |
| A1A Front axle with air suspension             |
| A1D Front axle 8.0 t                           |
| B1B Electronic braking system with ABS and ASR |
| B2A Disk-brakes front- and rearaxle            |
| B2X Parking brake, electronic                  |
| B3K Secondary oil retarder                     |
| C1W Wheelbase 3.700 mm                         |
| C6G Steering, Servotwin                        |
| C7T integral rear                              |
| C8Z Aerodynamic side trim                      |
| D0A leather Steering Wheel                     |
| D1C Driver's suspension seat comfort           |
| D1N Passenger seat feature                     |
| D2K Massage function for driver's seat         |
| D3A Comfort Bed, top, width, height-adjustable |
| D3B Comfortable bed, below                     |
| D3M Mattress, Premium Comfort, below           |
| D4Q Shaving mirror                             |
| D4S Electric sun blind, 1-part                 |
| D4T Curtain across bed                         |
| D4Z Sun blind side, driver and passenger side  |
| D5F LED ambient lighting, drive and live       |
| D5O StyleLine                                  |
| D6C Electric parking air conditioner           |
| D6I Residual heat                              |
| D6M Hot water heater, cab                      |
| D7A Thermal insulation in addition             |
| D7J Drawers under bed                          |
| D7R Storage flaps over front window            |

|                                                       |
|-------------------------------------------------------|
| D8M Sliding / tilt sunroof electric, glass version    |
| E4B Interface, fleet management system FMS            |
| E5K MirrorCam counter, by the bed                     |
| E6A Trailer socket 24V, 15-pin                        |
| E7F Cable remote control for air suspension           |
| E9G Preparation for electrical devices                |
| F0M ExtraLine                                         |
| F0T Mercedes star lit                                 |
| F1J GigaSpace cab 2.30 m wide, flat floor             |
| F1R Cab long                                          |
| F2H Cab width 2.50 m                                  |
| F2P Cab, height 765 mm top                            |
| F3C Cab suspension comfort with air suspension,       |
| F4X Storage compartment outside flap left             |
| F4Y Storage compartment outer flap, right             |
| F4Z f5b                                               |
| F5E Air deflectors, rigid, with cab side deflectors   |
| F5L Sun visor, exterior, transparent                  |
| F6Q Air horn                                          |
| F6T MirrorCam                                         |
| F6V MirrorCam bracket chrome, lower cover cab color   |
| F8E Locking system with central locking               |
| F8F comfort Lock                                      |
| F8V Light sensor                                      |
| F8W Rain sensor                                       |
| G0K Driving program economy / power                   |
| G0T Predictive Powertrain Control (PPC)               |
| G5G Mercedes PowerShift 3                             |
| H16 Driver's seat heating                             |
| I1U Tires 295/60 R 22.5 rear axle                     |
| I2I Tires 355/50 R22, 5 Tavra / NLA                   |
| I4A 4x2 wheel formula                                 |
| I6V Air suspension, rear axle Lowliner                |
| J2J Sound-System                                      |
| J2U Navigation system                                 |
| J3U Requirement FleetBoard Manager App                |
| J3V Truck Data Center 7                               |
| J3Z Axle load measuring device                        |
| J6C Multimedia cockpit, interactive                   |
| J9D Pre-installation for toll collection              |
| K1E Tank 390 liter                                    |
| K3V AdBlue tank 60 liters                             |
| K6C Tank 290 liters                                   |
| L1A Bi-Xenon headlights                               |
| L1C LED-daytime running lights                        |
| L1D Automatic high / low beam and cornering light     |
| L1H Fog lamps, halogen                                |
| L1P LED taillights                                    |
| L3A Spotlight, below                                  |
| L3Z Headlight washers                                 |
| M3D Motor OM 471, R6, 12.8 l, 375 kW (510 hp) 2500 Nm |
| M4X Engine version Euro 6, E                          |
| M5B 2nd generation engine OM471                       |
| M5V High Performance Engine Brake                     |
| O1Y Steering, direct                                  |

|                                                     |
|-----------------------------------------------------|
| O3C Safety Pack                                     |
| O7U Climate Package                                 |
| O8I Economy Package                                 |
| O8K Driving Package                                 |
| O8L Comfort Package                                 |
| O8O Sight Package                                   |
| O9H Actros Driver Extent                            |
| Q5L Fifth wheel coupling, with plate, Jost JSK 42MK |
| R2Y Alloy Rims 9:00 X 22.5                          |
| R5E Alloy Rims 11.75 X 22.5, VA                     |
| S1D Stability Rules Wizard                          |
| S1H Lane keeping assistant                          |
| S1I Distance Keeping Assist                         |
| S1L Alertness assistant                             |
| S1O Traffic sign assistant                          |
| S1W Active Brake Assist 5                           |
| S1X Active Sideguard Assist                         |
| S1Y Tire pressure monitoring system                 |
| S2A Active Drive Assist 2                           |
| S3A Airbag, driver                                  |
| S5Z cruise control                                  |
| U1W AdBlue pipes, water-heated                      |
| V2B Actros model generation 5                       |
| W9Z Weight variant 18,0 t (7,5/11,5)                |
| Y1X Refrigerator, in drawers, under the bed         |
| Z1H EBS                                             |
| Z3Y Metallic-Lack                                   |
| Z99 Vehicle without sparewheel                      |

Legal notice: The details of this offer are subject to change. <br/>Subject to prior sale. For sale to businesses only.