AVGTRUCKS

Vehicle-No.: 305001



Mercedes-Benz 2545 L ACTROS frame for various containers, BDF system

AVG Trucks GmbH

Gwinnerstraße 36 60388 Frankfurt/M Telefone: **+49 (0) 69-942138-0** Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de http://www.avg-trucks.de

All's Truck Circle	Euro 59.500,00 + Mwst.	http://www.avg-trucks.de
Contract structure	full service history	
First registration	28.01.2020	
Mileage	380.500 km	
Emission level	6	
Engine power	330/449 kW/PS	
Total weight	26.000 kg	
Kerb weight	10.690 kg	
Payload	15.310 kg	
Wheelbase	4.900 mm	
Height of edge of trailer tray	1.080 mm	
Suspension	Air suspension	
Operator's cab	StreamSpace breit	
Equipment		
1G2 12-gear transmission automatic		
1W6 Frame for various containers, BDF system, for containers 7,82 m		
A1A Front axle with air suspension		
A1D Front axle 8.0 t		
A4Z Trailing axle, fit to be raised, 7,5 t		
B1B Electronic braking system with ABS and ASR		
B2A Disk-brakes front- and rearaxle		
B3H Secondary water retarder		
B5A Trailer brake, 2-line connections left		
B5L Trailer brake connection Duomatic		
C2U Wheelbase 4.900 mm		
CU0 Hinged underrun protection at the back		
D1C Driver's suspension seat comfort		
D1N Passenger seat feature		
D3A Comfort Bed, top, width, height-adjustable		
D3B Comfortable bed, below		
D4S Electric sun blind, 1-part		
D4T Curtain across bed		
D4Z Sun blind side, driver and passenger side		
D6C Electric parking air conditioner		
D6G automatic climate control		
D6I Residual heat		
D6M Hot water heater, cab		
D7A Thermal insulation in addition		
D7J Drawers under bed		
D8N Sunroof, electrically		
E3R Power Socket 24 V / 25 A, front passenger footwell		
E4W Traction, speed limit 30 km / h		
E5K MirrorCam counter, by the bed		
E6A Trailer socket 24V, 15-pin		

E7F Cable remote control for air suspension
FOT Mercedes star lit
F1I StreamSpace cab 2.50 m wide, level floor
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F4X Storage compartment outside flap left
F4Z f5b
F5C Air guide body, without base plate
F5L Sun visor, exterior, transparent
F6Q Air horn
F6T MirrorCam
F8E Locking system with central locking
F8F comfort Lock
F8V Light sensor
FE5 Electric window regulator, driver's and codriver's door
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I2E Tires 315/70 R 22.5
I2F Tires 315/70 R 22.5
I6X Air suspension, rear axle
J1S VDO Tachograph manufacturer
J2J Sound-System
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J6C Multimedia cockpit, interactive
J6Y Remote online
J9D Pre-installation for toll collection
K1P 630 liter tank
K3V AdBlue tank 60 liters
K6N Tank 630 liters
L1A Bi-Xenon headlights
L1C LED-daytime running lights
L1H Fog lamps, halogen
L3A Spotlight, below
L3Z Headlight washers
MOE Torque increase, in the 12th gear
M3B Engine OM 471, R6, 12.8 L, 330 kW (449 hp) 2200 Nm
MSB 2nd generation engine OM471
MSD Engine version Euro 6, D
MSO Engine Version Editor, D MSV High Performance Engine Brake
07B Powertrain Pack 2
O7L Chrome package, interior
07U Climate Package
O7V Media Package
OV Media Package O8I Economy Package
Q7K Trailer coupling standard, D40, Rockinger
S1D Stability Rules Wizard
STD Stability Rules Wizard S1H Lane keeping assistant
S1I Distance Keeping Assist S1L Alertness assistant
S1O Traffic sign assistant

C4D Dired Cost Assist		
S1R Blind Spot Assist		
S1W Active Brake Assist 5		
S1Y Tire pressure monitoring system		
S3A Airbag, driver		
S5Z cruise control		
U1W AdBlue pipes, water-heated		
V2B Actros model generation 5		
W2K Weight variant 26 t (7.5 / 11.5 / 7.5)		
WQ1 Low trailer couplin system		
X3O Mercedes-Benz OnRoadService		
Y1X Refrigerator, in drawers, under the bed		
Y22 Tool chest		
Z1H EBS		
Z8I FleetBoard component		
Z99 Vehicle without sparewheel		
Legal notice: The details of this offer are subject to change. br/>Subject to prior sale. For sale to businesses only.		

© 2005 AYG Trucks GmbH